Product Datasheet

NETO2 Antibody - BSA Free NBP1-62591

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-62591

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-62591



NBP1-62591

NETO2 Antibody - BSA Free


Unit Size100 ulConcentration0.5 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.09% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight57 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.HostRabbitGene ID81831Gene SymbolNETO2SpeciesHumanImmunogenSynthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)- like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence for this immunogen was taken from within the described region.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	-	
Concentration 0.5 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence or this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence eELSGADGIVRSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence eELSGADGIVRSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence eELSGADGIVRSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Unit Size	100 ul
cycles. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Concentration	0.5 mg/ml
Preservative 0.09% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Storage	
Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptide scorresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Clonality	Polyclonal
Privity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence Product Application Details Applications Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Preservative	0.09% Sodium Azide
Buffer PBS, 2% Sucrose Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence be ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Isotype	IgG
Target Molecular Weight 57 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Purity	Affinity purified
Product Description The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution. Host Rabbit Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Buffer	PBS, 2% Sucrose
DescriptionThe addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.HostRabbitGene ID81831Gene SymbolNETO2SpeciesHumanImmunogenSynthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)- like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described 	Target Molecular Weight	57 kDa
and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.HostRabbitGene ID81831Gene SymbolNETO2SpeciesHumanImmunogenSynthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)- like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Product Description	
Gene ID 81831 Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Description	and not aliquoting smaller units. However, please note that glycerol may interrupt
Gene Symbol NETO2 Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)-like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Host	Rabbit
Species Human Immunogen Synthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)- like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Gene ID	81831
ImmunogenSynthetic peptides corresponding to NETO2(neuropilin (NRP) and tolloid (TLL)- like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region.Product Application Details ApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Gene Symbol	NETO2
like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described region. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions	Species	Human
ApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Immunogen	like 2) The peptide sequence was selected from the N terminal of NETO2. Peptide sequence ELSGADGIVRSSQVEQEEKTKPGQAVDCIWTIKATPKAKIYLRFLDYQME. The peptide sequence for this immunogen was taken from within the described
Recommended Dilutions Western Blot 1.0 ug/ml, Immunohistochemistry 1:10-1:500,	Product Application Details	
······································	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Recommended Dilutions	

www.novusbio.com




Images

Western Blot: NETO2 Antibody [NBP1-62591] - 721_B cell lysate, concentration 0.2-1 ug/ml.



Immunohistochemistry-Paraffin: NETO2 Antibody [NBP1-62591] -Formalin Fixed Paraffin Embedded Tissue: Human Bronchial Epithelial Tissue Observed Staining: Cytoplasmic







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-62591

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP1-84624PEP	NETO2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-62591

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

