

Product Datasheet

RPL30 primer NBP1-71651-0.5ml

Unit Size: 0.5 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-71651

Updated 5/31/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-71651



NBP1-71651-0.5ml

RPL30 primer


| Product Information | |
|---------------------|--|
| Unit Size | 0.5 ml |
| Concentration | Please see the protocols for proper use of this product. If no protocol is available, contact technical services for assistance. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Preservative | No Preservative |
| Buffer | TE buffer. |

| Product Description | |
|---------------------|--|
| Species | Human |
| Reactivity Notes | Human. |
| Notes | Primer sets come premixed with forward and reverse primers at a concentration of 10 uM. Primers are compatible with all real-time PCR chemistries. Each primer set has been tested and validated by chromatin immunoprecipitation (ChIP). The Tm for this primer set is between 53.0-54.5 degrees C. |


| Product Application Details | |
|-----------------------------|---|
| Applications | Chromatin Immunoprecipitation |
| Recommended Dilutions | Chromatin Immunoprecipitation 0.5 uM |
| Application Notes | This RPL30 primer is useful for PCR in chromatin precipitation. Amplicon size for this primer set is 57 base pairs. |

Images

Chromatin Immunoprecipitation: RPL30 primer [NBP1-71651] - qRT-PCR standard curve generated from a serial dilution of sheared HeLa chromatin.



Chromatin Immunoprecipitation: RPL30 primer [NBP1-71651] - 2 ug of NB21-1023 was used to IP DNA from fixed HeLa cells alongside a no antibody (No Ab) control. DNA was measured by qRT-PCR and normalized to total input (input=1).



Publications

Teng Y, Ghoshal P, Ngoka L et al. Critical role of the WASF3 gene in JAK2/STAT3 regulation of cancer cell motility. Carcinogenesis 2013-06-17 [PMID: 23677069] (Chemotaxis, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Support products are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-71651

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

