

Product Datasheet

Menin Antibody [Biotin] **NBP1-71794**

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-71794

Updated 9/6/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-71794



NBP1-71794

Menin Antibody [Biotin]

Product Information

Unit Size	0.1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Reconstitution Instructions	Reconstitute with 0.1 ml deionized water.
Isotype	IgG
Conjugate	Biotin
Purity	Immunogen affinity purified
Buffer	PBS, 0.2% BSA, and 20% Trehalose

Product Description


Host	Goat
Gene ID	4221
Gene Symbol	MEN1
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 575 and the C-terminus (residue 615) of human Multiple Endocrine Neoplasia 1 using the numbering given in entry NP_000235.2 (GeneID 4221).

Product Application Details


Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:10000, Immunoprecipitation 2 - 10 ug/mg lysate
Application Notes	Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.

Images

Western Blot: Menin Antibody [Biotin] [NBP1-71794] - Whole cell lysate (50 ug) from HeLa and HEK293T cells prepared using NETN lysis buffer. Antibody: Affinity purified goat anti-Menin antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: Menin Antibody [Biotin] [NBP1-71794] - Whole cell lysate (40 ug for WB; one 10 cm plate HEK293T cells for IP) from 293T cells. Antibodies: Affinity purified goat anti-Menin used as indicated for IP. Menin was detected by western blot using affinity purified rabbit anti-Menin at 0.1 ug/ml for WB. Detection: Chemiluminescence exposed for 1 minute.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-71794

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications