

# Product Datasheet

## Bcl-2 [p Thr129] Antibody NBP1-72213

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-72213](http://www.novusbio.com/NBP1-72213)

Updated 2/5/2017 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-72213](http://www.novusbio.com/reviews/destination/NBP1-72213)



**NBP1-72213**

Bcl-2 [p Thr129] Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Purity	Immunogen affinity purified
Buffer	Sterile TBS (pH 7.2) with antibody stabilizer

Product Description	
Host	Rabbit
Gene ID	596
Gene Symbol	BCL2
Species	Human, Mouse, Rat, Bovine, Canine (Negative)
Specificity/Sensitivity	This antibody recognizes Bcl-2 with the phosphorylation site Thr129. It does not cross-react with nonphosphospecific peptide.
Immunogen	A synthetic peptide derived from epitope -FATVV- with the phosphorylation site Thr129 of human BCL-2 protein.

Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 0.1-1 ug/ml, ELISA 0.01-0.1 ug/ml, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/ml, Immunohistochemistry-Paraffin 2-5 ug/ml

**Publications**

Camlica H, Duranyildiz D, Tas F, Yasasever V Department of Preventive Oncology, Biostatistics Epidemiology, Institute of Oncology, University of Istanbul, Istanbul, Turkey hcamlica@istanbul.edu.tr. Statistical interpretation of CA125 and Bcl-2 in serum of patients with late stage ovarian cancer. Am J Clin Oncol. 31(6):585-8. 2008-12-01 [PMID: 19060592]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-72213](http://www.novusbio.com/reviews/submit/NBP1-72213)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

