Product Datasheet

Rabbit anti-Chicken IgG F(ab')2 Secondary Antibody NBP1-72800

Unit Size: 5 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-72800

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-72800



NBP1-72800

Rabbit anti-Chicken IgG F(ab')2 S	Secondary Antibody	
Product Information		
Unit Size	5 mg	
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.01% Sodium Azide	
Isotype	IgG	
Purity	Multi-step	
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	
Product Description		
Description	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Chicken IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Chicken IgG, Chicken IgG F(ab')2 and Chicken Serum Store vial at 4C prior to opening. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing.	
Host	Rabbit	
Species	Chicken	
Specificity/Sensitivity	No reaction was observed against Chicken IgG F(c).	
Immunogen	Chicken IgG F(ab')2 fragment	
Product Application Details		
Applications	Western Blot, Dot Blot, ELISA, Immunohistochemistry	
Recommended Dilutions	Western Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000, Dot Blot	
Application Notes	This product has been tested by ELISA and western blot and is suitable for	



immunohistochemistry, as well as other assays requiring lot-to-lot consistency.

	rage 2 01 3 v.20.1 Opualed 10/23/2024
Images	
Western Blot: Rabbit anti-Chicken IgG F(ab)2 Secondary Antibody [Unconjugated] [NBP1-72800] - Lane 1: Chicken IgG whole molecule (NBP1-97037). Lane 2: Chicken IgG F(c) Fragment (NBP1-96786). Lane 3: Chicken IgG F(ab) Fragment (NBP1-96773). All samples were reduced. Load: 50 ng per lane; incubated with blocking buffer for 30 min at RT. Primary Antibody: NBP1-72800 incubated for 60 min at RT. Secondary antibody: Goat anti-Rabbit IgG, peroxidase Conjugated antibody incubated in blocking buffer for 30 min at RT. Predicted/observed Size: 25 and 72 kDa for Chicken IgG, 25 kDa for F(c) and F(ab). Chicken F(c) migrates slightly higher.	80 - 60 - 50 - 40 -
Dot Blot: Rabbit anti-Chicken IgG F(ab')2 Secondary Antibody [NBP1-72800] - Chicken IgG. Load: Lane 1 - 200 ng Lane 2 - 66.7 ng Lane 3 - 22.2 ng Lane 4 - 7.41 ng Lane 5 - 2.47 ng.	1 2 3 4 5
Western Blot of Unconjugated Rabbit anti-Chicken IgG F(ab')2 Secondary Antibody	kDa M 1 2 3 150 - 100 - 80 - 60 - 50 -
	30 -





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-72800

NBP1-96816

Donkey IgG F(ab')2 Isotype Control [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-72800

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

