

Product Datasheet

Rabbit anti-Chicken IgG/IgM (H+L) Secondary Antibody [DyLight 488] NBP1-74787

Unit Size: 1 mg

Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-74787

Updated 5/31/2017 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-74787



NBP1-74787

Rabbit anti-Chicken IgG/IgM (H+L) Secondary Antibody [DyLight 488]

Product Information	
Unit Size	1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Reconstitute with 1.1 ml deionized water and let stand 30 minutes at RT to dissolve. Centrifuge to remove any particulates.
Conjugate	DyLight 488
Purity	Immunogen affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free.

Product Description	
Host	Rabbit
Species	Chicken
Specificity/Sensitivity	Based on Immunoelectrophoresis, this antibody reacts with heavy chains on chicken IgG (IgY) and light chains on all chicken immunoglobulins.
Immunogen	Purified Chicken IgG/Y (H&L)
Notes	<p>Purity > 95% based on SDS-PAGE. Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily.</p> <p>Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.</p>

Product Application Details	
Applications	Flow Cytometry, Immunomicroscopy
Recommended Dilutions	Flow Cytometry 1:20-1:2000, Immunomicroscopy 1:20-1:2000
Application Notes	This conjugate is suitable for immunomicroscopy and flow cytometry.





Novus Biologicals USA

8100 Southpark Way, A-8
Littleton, CO 80120
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-74787

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

