

Product Datasheet

Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) NBP1-74818

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-74818

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-74818




NBP1-74818

Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed)

Product Information	
Unit Size	1 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Product Description	
Description	Purity > 95% based on SDS-PAGE. Donkey serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Host	Donkey
Species	Goat
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin goat serum immunoglobulins and IgG from human, mouse, rabbit, or rat
Specificity/Sensitivity	Based on IEP, this Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) heavy gamma chains on goat IgG and light chains on all goat immunoglobulins. This antibody has been pre-adsorbed against human, mouse, rabbit or rat IgG
Immunogen	This Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against purified goat IgG (H&L).
Product Application Details	
Applications	Western Blot, ELISA, Immunoassay, Immunodiffusion, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunodiffusion, Immunoassay
Application Notes	This antibody is suitable for all immunoassay applications.

Images

Western Blot: Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) [NBP1-74818] - Lysates of mouse embryo tissue loaded at the indicated concentrations. PVDF membrane was probed with 0.2 ug/mL goat anti-P-cadherin polyclonal antibody (AF761) followed by a 1:5000 Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) conjugated to HRP (NBP1-74822). Image using the HRP form of this antibody.



Western Blot: Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) [NBP1-74818] - Lysates of mouse embryo tissue loaded at the indicated concentrations. PVDF membrane was probed with 0.2 ug/mL goat anti-P-cadherin polyclonal antibody (AF761) followed by a 1:5000 donkey anti-goat IgG-HRP (NBP1-74822). Image using the HRP form of Donkey anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed).



Publications

Lerbs T, Cui L, King ME Et al. CD47 prevents the elimination of diseased fibroblasts in scleroderma JCI Insight 2020-08-21 [PMID: 32814713]

Details:

Citation using the DyLight 594 version of this antibody.

England CG, Jiang D, Ehlerding EB et al. (89)Zr-labeled nivolumab for imaging of T-cell infiltration in a humanized murine model of lung cancer Eur J Nucl Med Mol Imaging 2017-08-20 [PMID: 28821924] (IF/IHC)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-74818

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

