Product Datasheet

Rabbit anti-Goat IgG (H+L) Secondary Antibody (Preadsorbed) NBP1-74832

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-74832

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-74832



NBP1-74832

Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed)

Rabbit and Coating (1112) Cocondary Ambody (110 adsorbed)	
Product Information	
Unit Size	1 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Product Description	
Description	Purity > 95% based on SDS-PAGE. Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Host	Rabbit
Species	Goat
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin goat serum immunoglobulins and IgG from human, mouse or rat
Specificity/Sensitivity	Based on IEP, this Rabbit anti-Goat IgG (H+L) Secondary Antibody (Preadsorbed) heavy gamma chains on goat IgG and light chains on all goat immunoglobulins. This antibody has been pre-adsorbed against human, mouse, or rat IgG
Immunogen	This Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against purified goat IgG (H&L).
Product Application Details	
Applications	Western Blot, ELISA, Immunoassay, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoassay
Application Notes	This antibody is suitable for all immunoassay applications.

Publications

Flood MD, Wellington AJ, Cruz LA, Eggers ED Early diabetes impairs ON sustained ganglion cell light responses and adaptation without cell death or dopamine insensitivity Exp Eye Res 2020-09-10 [PMID: 32910942] (IF/IHC)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-74832

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

