

Product Datasheet

Goat anti-Mouse IgG/IgM (H+L) Secondary Antibody NBP1-75210

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-75210

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-75210



NBP1-75210**Goat anti-Mouse IgG/IgM (H+L) Secondary Antibody**


Product Information	
Unit Size	1 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Product Description	
Description	Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Host	Goat
Species	Mouse
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins
Specificity/Sensitivity	Based on IEP, this antibody reacts with heavy chains on mouse IgG + IgM and light chains on all mouse immunoglobulins
Immunogen	Purified Mouse IgG + IgM

Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunoassay, Immunodiffusion, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunodiffusion, Immunoassay
Application Notes	This antibody is suitable for all immunoassay applications.

Images

Flow Cytometry: Goat anti-Mouse IgG/IgM (H+L) Secondary Antibody [NBP1-75210] - Human cancer cells stained with mouse antibody and this secondary antibody was used for detection and also as a negative control. Image from verified customer review. Image using the FITC form of this antibody.

**Publications**

Yu Z, Ju Y, Liu H. Anti-lung cancer effect of glucosamine by suppressing the phosphorylation of FOXO Mol Med Rep 2017-07-18 [PMID: 28713921]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75210

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

