Product Datasheet

Chicken anti-Rabbit IgG (H+L) Secondary Antibody NBP1-75258

Unit Size: 2 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75258

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-75258



NBP1-75258


Chicken anti-Rabbit IgG (H+L) Secondary Antibody

Chicken anti-Rabbit IgG (H+L) Secondary Antibody	
Product Information	
Unit Size	2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Product Description	
Host	Chicken
Species	Rabbit
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin rabbit serum proteins
Specificity/Sensitivity	Based on IEP, this Chicken anti-Rabbit IgG (H+L) Secondary Antibody reacts with heavy gamma chains on rabbit IgG and light chains on all rabbit immunoglobulins.
Immunogen	This Chicken anti-Rabbit IgG (H+L) Secondary Antibody was developed against purified rabbit IgG (H&L).
Notes	Chicken products cannot be exported to Canada.
	Purity > 95% based on SDS-PAGE. Ig fraction was prepared using eggs obtained from healthy hens of US origin.
Product Application Details	
Applications	Western Blot, Chemiluminescence Immunoassay, ELISA, Flow Cytometry, Immunoassay, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunomicroscopy
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunocytochemistry/ Immunofluorescence 1:10 - 1:500, Immunoassay, Immunomicroscopy 1:10 - 1:500, Chemiluminescence Immunoassay
Application Notes	This antibody is suitable for all immunoassay applications.




Images

Immunocytochemistry/Immunofluorescence: Chicken anti-Rabbit IgG (H+L) Secondary Antibody [NBP1-75258] - Staining of capsid accumulates in lipid droplets in liver cell using Chicken anti-Rabbit IgG (H+L) Secondary Antibody conjugated secondary antibody conjugated to DyLight 594. Image from verified customer review. Image using the DyLight 594 form of this antibody.



Immunocytochemistry/Immunofluorescence: Chicken anti-Rabbit IgG (H+L) Secondary Antibody [NBP1-75258] - Analysis of Aedes aegypti tissue using Chicken anti-Rabbit IgG (H+L) Secondary Antibody conjugated to DyLight 550. Image from verified customer review. Image using the DyLight 550 form of this antibody.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada 21 Canmotor Ave

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75258

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

