

Product Datasheet

Goat anti-Rabbit IgG (H+L) Secondary Antibody [Alkaline Phosphatase] NBP1-75294

Unit Size: 1 mg

Store at 4C. After dilution, add an equal volume of glycerol to prevent loss of enzymatic activity and store at -20C. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-75294

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-75294



NBP1-75294

Goat anti-Rabbit IgG (H+L) Secondary Antibody [Alkaline Phosphatase]

Product Information	
Unit Size	1 mg
Concentration	1.5 mg/ml
Storage	Store at 4C. After dilution, add an equal volume of glycerol to prevent loss of enzymatic activity and store at -20C. Avoid repeated freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Conjugate	Alkaline Phosphatase
Purity	Affinity purified
Buffer	30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/IgG free

Product Description	
Description	<p>Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.</p> <p>Store undiluted liquid at 2-8C. For storage at -20C, dilute with an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working dilutions prior to use and then discard.</p>
Host	Goat
Species	Rabbit
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin rabbit serum proteins
Specificity/Sensitivity	Based on IEP, this Goat anti-Rabbit IgG (H+L) Secondary Antibody [Alkaline Phosphatase] reacts with heavy gamma chains on rabbit IgG and light chains on all rabbit immunoglobulins.
Immunogen	This Goat anti-Rabbit IgG (H+L) Secondary Antibody [Alkaline Phosphatase] was developed against purified rabbit IgG (H&L).

Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:200-1:5000, ELISA 1:200-1:5000, Immunohistochemistry 1:500-1:5000, Immunohistochemistry-Paraffin
Application Notes	This conjugate is suitable for all immunoassay applications.

Publications

Zhang J, Sun H, Salvi R et al. Paraquat initially damages cochlear support cells leading to anoikis-like hair cell death
Hear Res 2018-03-23 [PMID: 29563067]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75294

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

