## **Product Datasheet**

# Goat F(ab')2 anti-Rat IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) NBP1-75411

Unit Size: 0.5 mg

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75411

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-75411



Secondary Antibody [DyLight 488] (Pre-adsorbed)
0.5 mg
LYOPH mg/ml
Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.
Polyclonal
0.05% Sodium Azide
Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.
IgG
DyLight 488
Affinity purified
10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily.  Product is stable for up to 4 weeks at 2-8C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C.
Goat
Rat
Based on IEP, no reactivity is observed to non-immunoglobulin rat serum proteins and IgG from human or mouse
Based on IEP, this Goat F(ab')2 anti-Rat IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on rat IgG and light chains on all rat immunoglobulins. This antibody has been pre-adsorbed against human, mouse IgG
This Goat F(ab')2 anti-Rat IgG (H+L) Secondary Antibody [DyLight 488] (Preadsorbed) was developed against purified rat IgG (H&L).
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Flow Cytometry, Immunomicroscopy
Flow Cytometry 1:20-1:2000, Immunomicroscopy 1:20-1:2000





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75411

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

