

# Product Datasheet

## Chicken anti-Rabbit IgG (H+L) Secondary Antibody [DyLight 800] NBP1-75575

Unit Size: 1 mg

Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-75575](http://www.novusbio.com/NBP1-75575)

Updated 7/9/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-75575](http://www.novusbio.com/reviews/destination/NBP1-75575)



**NBP1-75575**

Chicken anti-Rabbit IgG (H+L) Secondary Antibody [DyLight 800]

Product Information	
Unit Size	1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Reconstitute with sterilized deionized water. Centrifuge to remove any particulates.
Isotype	IgG
Conjugate	DyLight 800
Purity	Immunogen affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free

Product Description	
Description	Affinity purified antibody is > 95% based on SDS-PAGE. Chicken Ig fraction was prepared using eggs from healthy hens of US origin. DyLight 800 (Ex = 777 nm; Em = 794 nm). After reconstituted, prepare fresh working dilution daily.  Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Host	Chicken
Species	Rabbit
Reactivity Notes	Rabbit IgG, H/L Chains
Immunogen	Purified Rabbit IgG (H&L)

Product Application Details	
Applications	Flow Cytometry, Immunomicroscopy
Recommended Dilutions	Flow Cytometry 1:20 - 1:2000, Immunomicroscopy 1:20 - 1:2000
Application Notes	This conjugate is suitable for immunomicroscopy and flow cytometry.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-75575](http://www.novusbio.com/reviews/submit/NBP1-75575)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

