

Product Datasheet

Goat anti-Human IgG Fc Secondary Antibody [DyLight 800] NBP1-75821

Unit Size: 1 mg

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-75821

Updated 7/9/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-75821



NBP1-75821

Goat anti-Human IgG Fc Secondary Antibody [DyLight 800]

| Product Information | |
|-----------------------------|--|
| Unit Size | 1 mg |
| Concentration | LYOPH mg/ml |
| Storage | Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Reconstitution Instructions | Reconstitute with sterilized deionized water. Centrifuge to remove any particulates. |
| Isotype | IgG |
| Conjugate | DyLight 800 |
| Purity | Affinity purified |
| Buffer | 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free |

| Product Description | |
|-------------------------|---|
| Description | Affinity purified antibody is > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. DyLight 800 (Ex = 777 nm; Em = 794 nm). After reconstituted, prepare fresh working dilution daily. Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. |
| Host | Goat |
| Species | Human |
| Reactivity Notes | human IgG, Fc |
| Specificity/Sensitivity | Based on Immunoelectrophoresis, this antibody reacts with human IgG heavy chains. |
| Immunogen | Purified Human IgG, Fc fragment |

| Product Application Details | |
|-----------------------------|---|
| Applications | Flow Cytometry, Immunomicroscopy |
| Recommended Dilutions | Flow Cytometry 1:20 - 1:2000, Immunomicroscopy 1:20 - 1:2000 |
| Application Notes | This conjugate is suitable for immunomicroscopy and flow cytometry. |





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75821

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

