Product Datasheet

Goat anti-Human IgM Heavy Chain Secondary Antibody [DyLight 650] NBP1-75890

Unit Size: 1 mg

Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75890

Updated 7/9/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-75890



NBP1-75890

Application Notes

Goat anti-Human IgM Heavy Chain Secondary Antibody [DyLight 650]

Goat anti-Human igivi Heavy Chain Secondary Antibody [DyLight 650]	
Product Information	
Unit Size	1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C. Avoid repeated freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Reconstitute with sterilized deionized water. Centrifuge to remove any particulates.
Isotype	IgM
Conjugate	DyLight 650
Purity	Immunogen affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Product Description	
Description	Affinity purified antibody is > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. DyLight 650 (Ex = 652 nm; Em = 672 nm). After reconstituted, prepare fresh working dilution daily. Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Host	Goat
Gene ID	3507
Species	Human
Reactivity Notes	human IgM
Immunogen	Purified Human IgM, Mu chain
Product Application Details	
Applications	Flow Cytometry, Immunomicroscopy
Recommended Dilutions	Flow Cytometry 1:20 - 1:2000, Immunomicroscopy 1:20 - 1:2000



This conjugate is suitable for immunomicroscopy and flow cytometry.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75890

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

