Product Datasheet

TLR10 Antibody NBP1-76445

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76445

Updated 6/10/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-76445



NBP1-76445

TLR10 Antibody

Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-th cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity lon exchange chromatography Buffer PBS Product Description	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-th cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Ion exchange chromatography Buffer PBS	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-th cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Ion exchange chromatography Buffer PBS	
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Ion exchange chromatography Buffer PBS	
Preservative 0.02% Sodium Azide Isotype IgG Purity Ion exchange chromatography Buffer PBS	W
Isotype IgG Purity Ion exchange chromatography Buffer PBS	
Purity Ion exchange chromatography Buffer PBS	
Buffer PBS	
Product Description	
Product Description	
Host Rabbit	
Gene ID 81793	
Gene Symbol TLR10	
Species Human	
Antibody was raised against a peptide corresponding to 14 amino acids near middle of human TLR10. The immunogen is located within amino acids 600 650 of TLR10.	
Product Application Details	
Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	
Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunocytochemistry/Immunofluorescence 2 ug/ml	
Application Notes TLR10 antibody can be used for detection of TLR10 by Western blot at 0.5 mg/ml. Despite its predicted size of ~90 kDa, a band correpsonding to TLR observed at ~75 kDa in immunoblot assays.	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76445

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

