Product Datasheet

NKX3-2 Antibody - BSA Free NBP1-76541

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76541

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-76541



NBP1-76541

NKX3-2 Antibody - BSA Free

Product Information Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunocytochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Paraffin 5 ug/ml	NKAS-2 Antibody - BOATTee	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry sug/ml, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry-	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-Immunohistoch	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-Immunohist	Concentration	1 mg/ml
Preservative 1gG	Storage	·
IgG	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Preservative	0.02% Sodium Azide
Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Isotype	IgG
Product Description Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Purity	Peptide affinity purified
Host Rabbit Gene ID 579 Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Buffer	PBS
Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Product Description	
Gene Symbol NKX3-2 Species Human, Mouse, Rat Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Host	Rabbit
Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Gene ID	579
Specificity/Sensitivity BAPX1 antibody is predicted not to cross-react with other NKX homeobox proteins. Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Gene Symbol	NKX3-2
Immunogen Antibody was raised against a 19 amino acid synthetic peptide near the center of human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Species	Human, Mouse, Rat
human BAPX1. The immunogen is located within amino acids 180 - 230 of BAPX1. Amino Acid Squence: EEEPAAPKPRKKRSRAAFS Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Immunogen	human BAPX1. The immunogen is located within amino acids 180 - 230 of
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Product Application Details	
Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Applications	
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-




Images


Western Blot: NKX3-2 Antibody [NBP1-76541] - Analysis in human brain tissue lysate with antibody at 1 ug/mL in (A) the absence and (B) the presence of blocking peptide.

A B
3628
17-

Immunocytochemistry/Immunofluorescence: NKX3-2 Antibody [NBP1-76541] - NKX3-2 in mouse brain tissue at 20 ug/mL.



Immunohistochemistry: NKX3-2 Antibody [NBP1-76541] - NKX3-2 in mouse brain tissue at 5 ug/mL.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76541

NBP1-76541PEP NKX3-2 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76541

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

