## **Product Datasheet**

### SIGIRR Antibody - BSA Free NBP1-76599

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76599

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76599




#### NBP1-76599

SIGIRR Antibody - BSA Free

Product InformationUnit Size0.1 mgConcentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionFeabletHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenArtibody was raised against a synthetic peptide corresponding to 15 amino acids artino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence 10 ug/ml	-	
Concentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Information	
StorageJor at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionForduct DescriptionHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Unit Size	0.1 mg
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionForduct DescriptionHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Concentration	1 mg/ml
Preservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionFroduct DescriptionHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Storage	
IsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionKabbitHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Clonality	Polyclonal
PurityPeptide affinity purifiedBufferPBSTarget Molecular Weight45 kDaProduct DescriptionRabbitHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Preservative	0.02% Sodium Azide
BufferPBSTarget Molecular Weight45 kDaProduct Description45 kDaHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Isotype	IgG
Target Molecular Weight45 kDaProduct DescriptionRabbitHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Purity	Peptide affinity purified
Product DescriptionHostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Buffer	PBS
HostRabbitGene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Target Molecular Weight	45 kDa
Gene ID59307Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Description	
Gene SymbolSIGIRRSpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Host	Rabbit
SpeciesHuman, MouseImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene ID	59307
ImmunogenAntibody was raised against a synthetic peptide corresponding to 15 amino acids at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFYProduct Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene Symbol	SIGIRR
at the C-terminus of human SIGIRR. The immunogen is located within the last 50 amino acids of SIGIRR. Amino Acid Squence: SDLGSRNYSARTDFY   Product Application Details   Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence   Recommended Dilutions Western Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Species	Human, Mouse
ApplicationsWestern Blot, ELISA, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Immunogen	at the C-terminus of human SIGIRR. The immunogen is located within the last 50
Recommended Dilutions Western Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Application Details	
······································	Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	



#### Images



www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-76599

NBP1-76599PEP	SIGIRR Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76599

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

