Product Datasheet

DDX3 Antibody NBP1-76686

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76686

Updated 6/11/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76686



NBP1-76686

DDX3 Antibody

Product Information 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1 mg/ml. DDX3 antibody will detect both DDX3 and DBY.		
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry/Paraffin 1:10-1:500, Immunohistochemistry/Paraffin 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500, Immunoh	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry/Paraffin 1:10-1:500, Immunohistochemistry	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Storage	i G
Isotype IgG Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Preservative	0.02% Sodium Azide
Buffer PBS Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Isotype	IgG
Product Description Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Purity	Immunogen affinity purified
Host Rabbit Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Buffer	PBS
Gene ID 1654 Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Product Description	
Gene Symbol DDX3X Species Human, Mouse Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Host	Rabbit
Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Gene ID	1654
Specificity/Sensitivity DDX3 antibody will detect both DDX3 and DBY. Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Gene Symbol	DDX3X
Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Species	Human, Mouse
amino terminus of human DDX3. The immunogen is located within amino acids 110 - 160 of DDX3. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Specificity/Sensitivity	DDX3 antibody will detect both DDX3 and DBY.
Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10- 1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Immunogen	amino terminus of human DDX3. The immunogen is located within amino acids
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Product Application Details	
1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes DDX3 antibody can be used for the detection of DDX3 by Western blot at 0.5 - 1	Applications	
	Recommended Dilutions	1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500,
	Application Notes	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76686

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

