Product Datasheet

CD5L Antibody - BSA Free NBP1-76699

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76699

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76699



NBP1-76699

CD5L Antibody - BSA Free

Product Information Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry 10 ug/ml, Immunohistochemistry-Paraffin 10 ug/ml	CD5L Antibody - B5A Free	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AlM. The immunogen is located within amino acids 250 - 300 of AlM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot 0.5-2 ug/ml, ELISA, Immunohistochemistry, Immunohistochemistry 10 ug/ml,	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml, Recommended Dilutions	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Storage	· ·
Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Preservative	0.02% Sodium Azide
Buffer PBS Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Isotype	IgG
Target Molecular Weight 38 kDa Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Purity	Peptide affinity purified
Product Description Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Buffer	PBS
Host Rabbit Gene ID 922 Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Target Molecular Weight	38 kDa
Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Product Description	
Gene Symbol CD5L Species Human, Mouse Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Host	Rabbit
Human, Mouse Human, Mouse Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV	Gene ID	922
Immunogen Antibody was raised against a 13 amino acid synthetic peptide near the carboxy terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Gene Symbol	CD5L
terminus of human AIM. The immunogen is located within amino acids 250 - 300 of AIM. Amino Acid Squence: CDDNWGEKEDQVV Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Species	Human, Mouse
Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Immunogen	terminus of human AIM. The immunogen is located within amino acids 250 - 300
Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml,	Product Application Details	
	Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin
	Recommended Dilutions	



Images Western Blot: CD5L Antibody [NBP1-76699] - Raji lysate with CD5L antibody at (A) 0.5, (B) 1 and (C) 2 ug/ml. A B C 54 30 Immunohistochemistry-Paraffin: CD5L Antibody [NBP1-76699] - Human lymph node tissue with CD5L antibody at 10 ug/ml.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76699

NBP1-76699PEP CD5L Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76699

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

