Product Datasheet

DRAK1 Antibody - BSA Free NBP1-76896

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76896

Updated 10/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76896



NBP1-76896

Application Notes

DRAK1 Antibody - BSA Free

Divite Anabody Bott rec	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	50 kDa
Product Description	
Description	Novus Biologicals Rabbit DRAK1 Antibody - BSA Free (NBP1-76896) is a polyclonal antibody validated for use in WB, ELISA and ICC/IF. Anti-DRAK1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	9263
Gene Symbol	STK17A
Species	Human
Specificity/Sensitivity	No cross responses to DRAK2, DAP or ZIP kinases.
Immunogen	Antibody was raised against a peptide corresponding to amino acids near the amino terminus of human DRAK1. The immunogen is located within the first 50 amino acids of DRAK1. Amino Acid Squence: EKPGSGGSSPGATSG
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml
1	

An approximately 50 kDa band can be detected in Western Blot.



Images MW Western Blot: DRAK1 Antibody [NBP1-76896] - Analysis for DRAK1 1 (kDa) using this antibody at 2 ug/ml dilution against 10 ug/lane of MOLT4 (lane 1), A431 (lane 2) and NIH-3T3 (lane 3) cell lysates. 102-81. DRAK 1 33• Immunocytochemistry/Immunofluorescence: DRAK1 Antibody [NBP1-76896] - Immunocytochemistry staining of MOLT4 cells using DRAK1 antibody at 2 ug/mL. Immunocytochemistry/ Immunofluorescence: DRAK1 Antibody - BSA Free [NBP1-76896] - Immunofluorescence of DRAK1 in Molt cells with DRAK1 antibody at 20 ug/mL.

Publications

Mao P, Hever MP, Niemaszyk LM et al. Serine/threonine kinase 17A is a novel p53 target gene and modulator of cisplatin toxicity and reactive oxygen species in testicular cancer cells. J Biol Chem. 2011-06-03 [PMID: 21489989] (WB, Human)

Details:

DRAk1 (IMG-157-1). WB: Human embryonal carcinoma (NT2/D1) cell line, Fig 5.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76896

NBP1-76896PEP DRAK1 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76896

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

