Product Datasheet

EVER2 Antibody - BSA Free NBP1-76903

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76903

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76903




NBP1-76903

EVER2 Antibody - BSA Free

Product InformationUnit Size0.1 mgConcentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the carter of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry- Paraffin 5 ug/ml		
Concentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against at 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300- 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry Sug/ml, Immunohistochemistry. Immunohistochemistry Sug/ml, Immunohistochemistry. Immunohistochemistry Sug/ml, Immunohistochemistry.	Product Information	
StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailISWestern Blot, ELISA, Immunocytochemistry-Immunofluorescence, Immunohistochemistry. Immunohistochemistry 5 ug/ml, Immunocytochemistry. Immunohistochemistry 5 ug/ml, Immunohistochemistry. Immunohistochemistry 5 ug/ml, Immunohistochemistry. Immunohistochemistry 5 ug/ml, Immunohistochemistry.	Unit Size	0.1 mg
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunofluorescence, 20 ug/mL, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/mI, ELISA 1:100-1:2000, Immunohistochemistry-Sug/mI, Immunohistochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Concentration	1 mg/ml
Preservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionHostHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry. Jammunohistochemistry 5 ug/ml, Immunocytochemistry/Immunohistochemistry 5 ug/ml, Immunohistochemistry.	Storage	
IsotypeIgGPurityPeptide affinity purifiedBufferPBSProduct DescriptionHostHostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofiluorescence, Immunohistochemistry. Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunohistochemistry/Immunohistochemistry-	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Product Description Product Description Host Rabbit Gene ID 147138 Gene Symbol TMC8 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1. Immunogen Antibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESL Product Application Details Western Blot, ELISA, Immunocytochemistry/ Immunofiluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunohistochemistry/ Immunohistochemistry-Faraffin	Preservative	0.02% Sodium Azide
Buffer PBS Product Description Rabbit Host Rabbit Gene ID 147138 Gene Symbol TMC8 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1. Immunogen Antibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESL Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 20 ug/mL, Immunohistochemistry-	Isotype	IgG
Product Description Host Rabbit Gene ID 147138 Gene Symbol TMC8 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1. Immunogen Antibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESL Product Application Details Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Purity	Peptide affinity purified
HostRabbitGene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunofluorescence 20 ug/mL, Immunohistochemistry-	Buffer	PBS
Gene ID147138Gene SymbolTMC8SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry-	Product Description	
Gene Symbol TMC8 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1. Immunogen Antibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESL Product Application Details Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry-	Host	Rabbit
SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunohistochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Gene ID	147138
Specificity/SensitivityAt least three isoforms of EVER2 are known to exist; this antibody will only recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Gene Symbol	TMC8
recognize the larger isoform. EVER2 has no cross-reactivity to EVER1.ImmunogenAntibody was raised against a 14 amino acid synthetic peptide from near the center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Species	Human, Mouse, Rat
center of human EVER2. The immunogen is located within amino acids 300 - 350 of EVER2. Amino Acid Squence: WATKYSQDNKEESLProduct Application DetailsApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Immunogen	center of human EVER2. The immunogen is located within amino acids 300 -
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Product Application Details	
Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-	Applications	
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-76903

NBP1-76903PEP	EVER2 Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76903

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

