Product Datasheet

DFF45/ICAD Antibody - BSA Free NBP1-77034

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77034

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77034



NBP1-77034

Application Notes

DFF45/ICAD Antibody - BSA Free


DFF45/ICAD Antibody - BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Ion exchange chromatography
Buffer	PBS
Target Molecular Weight	45 kDa
Product Description	
Host	Rabbit
Gene ID	1676
Gene Symbol	DFFA
Species	Human
Immunogen	Antibody was raised against a 19 amino acid peptide near the carboxy terminus of human DFF45. The immunogen is located within the last 50 amino acids of DFF45. Amino Acid Squence: KASPPGDLQNPKRARQDPT
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence 5 ug/mL

A 45 kDa band can be detected in non-apoptotic cells in Western Blot.




Images


Western Blot: DFF45/ICAD Antibody [NBP1-77034] - Analysis of HeLa (H), Jurkat (J), A431 (A), and K562 (K) whole cell lysate with ICAD antibody at 1:1000 dilution.



Immunocytochemistry/Immunofluorescence: DFF45/ICAD Antibody [NBP1-77034] - Staining of HeLa cells with ICAD antibody at 5 ug/ml.



Immunocytochemistry/Immunofluorescence: DFF45/ICAD Antibody [NBP1-77034] - Hela cells at 20 ug/ml



Publications

Nagata T, Kishi H, Liu QL et al. The regulation of DNAse activities in subcellular compartments of activated thymocytes. Immunology. 2002-04-01 [PMID: 11985660]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-77034

NBP1-77034PEP DFF45/ICAD Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77034

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

