

Product Datasheet

TOMM22 Antibody - BSA Free

NBP1-80671

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-80671

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-80671



NBP1-80671

TOMM22 Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description


Host	Rabbit
Gene ID	56993
Gene Symbol	TOMM22
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in (PMID: 30386187). Rat (89%).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MAAAVAAAGAGEPQSPDELLPKGDAEKPEEELEDDDEELDETLSERLWGLT EMFPERVRSAGATFDLSLFVAQK

Product Application Details

Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated
Recommended Dilutions	Western Blot 0.04 - 0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


Images

Western Blot: TOMM22 Antibody [NBP1-80671] - Analysis in U2OS cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented. Loading control: Anti-GAPDH.




Western Blot: TOMM22 Antibody [NBP1-80671] - Comparative immunoblot analysis of normal wild type versus mdx-4cv liver extracts. Immunoblots with expanded views of labelling with antibodies to the mitochondrial outer membrane protein translocation pore subunit TOM22 (NBP1-80671) and asporin (NBP2-15492). Image collected and cropped by CiteAb from the following publication (<https://clinicalproteomicsjournal.biomedcentral.com/articles/10.1186/s12014-018-9212-2>) licensed under a CC-BY license.

IB TOM22




wt mdx-4cv

IB Asporin




wt mdx-4cv


Immunocytochemistry/Immunofluorescence: TOMM22 Antibody [NBP1-80671] - Staining of human cell line A-431 shows localization to mitochondria. Antibody staining shown in green.




Immunohistochemistry-Paraffin: TOMM22 Antibody [NBP1-80671] - Staining of human testis shows strong granular cytoplasmic positivity in cells in seminiferous ducts and Leydig cells..




Western Blot: TOMM22 Antibody [NBP1-80671] - Analysis in human cell line HL-60.




Immunohistochemistry-Paraffin: TOMM22 Antibody [NBP1-80671] - Staining of human duodenum shows strong granular cytoplasmic positivity in glandular cells.



Immunohistochemistry-Paraffin: TOMM22 Antibody [NBP1-80671] - Staining of human fallopian tube shows strong granular cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: TOMM22 Antibody [NBP1-80671] - Staining of human pancreas shows moderate granular cytoplasmic positivity.



Western Blot: TOMM22 Antibody [NBP1-80671] - Comparative immunoblot analysis of normal wild type versus mdx-4cv liver extracts. Shown is a representative silver-stained SDS-PAGE gel & corresponding immunoblots with expanded views of labelling with antibodies to the fatty acid binding protein isoforms FABP1 & FABP5, as well as ferritin light chain, carbonic anhydrase isoform CA3, the voltage-dependent anion channel VDAC-1, the mitochondrial outer membrane protein translocation pore subunit TOM22, fibronectin & asporin. Lanes 1 & 2 represent total extracts from control wild type (wt) liver & mdx-4cv liver, respectively. Molecular mass standards (in kDa) are indicated at the left of the gel image. Graphical representations of the immuno-decoration levels of FABP1 & FABP5 are shown (Y-axis: % control): Student's t test, unpaired; n = 4; *p < 0.05 Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/30386187>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.

IB Asporin



wt mdx-4cv

Publications

Liu X, Liu Y, Yang RX et al. Loss of myeloid Tsc2 predisposes to angiotensin II-induced aortic aneurysm formation in mice *Cell death & disease* 2022-11-18 [PMID: 36400753] (Mouse)

Farini A, Tripodi L, Villa C et al. Inhibition of the immunoproteasome modulates innate immunity to ameliorate muscle pathology of dysferlin-deficient BIAJ mice *Cell death & disease* 2022-11-19 [PMID: 36402750]

Murphy S, Zweyer M, Henry M et al. Proteomic profiling of liver tissue from the mdx-4cv mouse model of Duchenne muscular dystrophy *Clin Proteom* 2018-12-01 [PMID: 30386187] (WB, Mouse)

Guantes R, Rastrojo A, Neves R et al. Global variability in gene expression and alternative splicing is modulated by mitochondrial content. *Genome Res* 2015-05-01 [PMID: 25800673]

Latil M, Rocheteau P, Chatre L et al. Skeletal muscle stem cells adopt a dormant cell state post mortem and retain regenerative capacity. *Nat Commun* 2012-06-01 [PMID: 22692546]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-80671

NBP1-80671PEP	TOMM22 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-80671

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

