Product Datasheet

SG2NA Antibody - BSA Free NBP1-80764

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-80764

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-80764



NBP1-80764


SG2NA Antibody - BSA Free

Product Information	SGZNA ANtibody - BSA Free	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDIEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Immunopitochemistry/ Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Information	
contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Paraffin 1:200 - 1:500 Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Unit Size	0.1 ml
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Concentration	
Preservative 0.02% Sodium Azide	Storage	
IgG	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Preservative	0.02% Sodium Azide
Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Isotype	IgG
Product Description Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Purity	Immunogen affinity purified
Host Rabbit Gene ID 29966 Gene Symbol STRN3 Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene Symbol STRN3 Species Human This antibody was developed against Recombinant Protein corresponding to amino acids:	Product Description	
Gene Symbol STRN3 Species Human This antibody was developed against Recombinant Protein corresponding to amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
Species	Gene ID	29966
Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	STRN3
amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT AEDGEGAGEARSSGDGTEWAEPITFPSGGGKS Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Species	Human
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	amino acids: LGLSNSEPNGSVETKNLEQILNGGESPKQKGQEIKRSSGDVLETFNFLENADD SDEDEENDMIEGIPEGKDKHRMNKHKIGNEGLAADLTDDPDTEEALKEFDFLVT
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml,
	Application Notes	Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use




Images


Western Blot: SG2NA Antibody [NBP1-80764] - Analysis using Anti-STRN3 antibody NBP1-80764 (A) shows similar pattern to independent antibody NBP1-80763 (B).



Immunocytochemistry/Immunofluorescence: SG2NA Antibody [NBP1-80764] - Immunofluorescent staining of human cell line A-431 shows localization to cytosol.



Immunohistochemistry-Paraffin: SG2NA Antibody [NBP1-80764] - Staining of human colon shows cytoplasmic and membranous positivity in glandular cells.



Publications

Wang YC, Tsai MC, Chen YS et al. NPRL2 down-regulation facilitates the growth of hepatocellular carcinoma via the mTOR pathway and autophagy suppression Hepatology communications 2022-12-01 [PMID: 36321403] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-80764

NBP1-80764PEP SG2NA Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-80764

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

