

Product Datasheet

SEC11C Antibody - BSA Free **NBP1-80774**

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-80774

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-80774



NBP1-80774

SEC11C Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description


Description	Novus Biologicals Rabbit SEC11C Antibody - BSA Free (NBP1-80774) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-SEC11C Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	90701
Gene Symbol	SEC11C
Species	Human
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (88%), Rat (88%)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MVRAGAVGAHLPASGLDIFGDLKKMKNRQLYYQV

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50-1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Western Blot: SEC11C Antibody [NBP1-80774] - Analysis in control (vector only transfected HEK293T lysate) and SEC11C over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).




Immunohistochemistry-Paraffin: SEC11C Antibody [NBP1-80774] - Staining of human Pancreas shows strong positivity in endoplasmic reticulum in exocrine glandular cells.




Western Blot: SEC11C Antibody [NBP1-80774] - Lane 1: Marker [kDa] 230, 130, 95, 72, 56, 36, 28, 17, 11. Lane 2: Human cell line RT-4. Lane 3: Human cell line U-251MG sp. Lane 4: Human plasma (IgG/HSA depleted). Lane 5: Human liver tissue. Lane 6: Human tonsil tissue




Immunohistochemistry-Paraffin: SEC11C Antibody [NBP1-80774] - Staining of human lymph node shows strong cytoplasmic positivity in subsets of lymphoid cells outside reaction centra.



Immunohistochemistry-Paraffin: SEC11C Antibody [NBP1-80774] - Staining of human Kidney shows moderate positivity in endoplasmic reticulum in cells in tubules.



Immunohistochemistry-Paraffin: SEC11C Antibody [NBP1-80774] -
Staining of human Skeletal muscle shows very weak positivity in
endoplasmic reticulum in myocytes.



Publications

Simon F, Donhauser N, Kemeter L et al. HTLV-1 p12 is cleaved to p8 by the signal peptidase complex and its inhibition impairs p8-dependent transmission. *PLoS pathogens* 2025-10-10 [PMID: 41071809]

Iqbal Dulloo, Michael Tellier, Clémence Levet, Anissa Chikh, Boyan Zhang, Diana C Blaydon, Catherine M Webb, David P Kelsell, Matthew Freeman Cleavage of the pseudoprotease iRhom2 by the signal peptidase complex reveals an ER-to-nucleus signaling pathway. *Molecular cell* 2024-01-18 [PMID: 38183983]

Sun S, Hou H, Ma G et al. The interaction between E3 ubiquitin ligase Parkin and mitophagy receptor PHB2 links inner mitochondrial membrane ubiquitination to efficient mitophagy. *The Journal of biological chemistry* 2022-11-12 [PMID: 36379251] (WB, Human)

Porciello N, Cipria D, Masi G et al. Role of the membrane anchor in the regulation of Lck activity. *The Journal of biological chemistry* 2022-11-10 [PMID: 36372231] (ICC/IF, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-80774

NBP1-80774PEP	SEC11C Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-80774

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications