# **Product Datasheet**

# DEXI Antibody - BSA Free NBP1-81015

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-81015

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-81015



## NBP1-81015


DEXI Antibody - BSA Free

DEXT/Millipody Berring	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	28955
Gene Symbol	DEXI
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 31435002).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: IVLNVGLVFLPEDMDQALVDLGVLSDPGSGLYDADSELDVFDAYLE
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
II a	


# **Application Notes** For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.

# **Images**


Western Blot: DEXI Antibody [NBP1-81015] - Analysis in control (vector only transfected HEK293T lysate) and DEXI over-expression lysate (Coexpressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells, LY415520).




Immunocytochemistry/Immunofluorescence: DEXI Antibody [NBP1-81015] - Staining of human cell line U-251 MG shows localization to nuclear speckles. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: DEXI Antibody [NBP1-81015] - Staining of human heart muscle shows moderate to strong cytoplasmic positivity in cardiomyocytes.



Immunohistochemistry-Paraffin: DEXI Antibody [NBP1-81015] - Staining of human testis shows moderate to strong cytoplasmic positivity in cells in seminiferous ducts.



Immunohistochemistry-Paraffin: DEXI Antibody [NBP1-81015] - Staining of human adrenal gland shows moderate to strong cytoplasmic positivity in glandular cells.



#### **Publications**

Nieves-Bonilla JM, Kiaf B, Schuster C, Kissler S The type 1 diabetes candidate gene Dexi does not affect disease risk in the nonobese diabetic mouse model Genes Immun. 2019-08-22 [PMID: 31435002] (WB, Mouse)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP1-81015**

NBP1-81015PEP DEXI Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81015

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

