# **Product Datasheet**

# Tollip Antibody - BSA Free NBP1-81597

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-81597

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-81597



## NBP1-81597


Tollip Antibody - BSA Free

Tollip Antibody - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	54472
Gene Symbol	TOLLIP
Species	Human, Rat
Reactivity Notes	Reactivity reported in scientific literature (PMID: 23435261). Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (88%)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: VEDKWYSLSGRQGDDKEGMINLVMSYALLPAAMVMPPQPVVLMPTVYQQGVGYVPITGMPAVCSPGMVPVALPPAAVNAQPRCSEEDLKA
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000, Knockdown Validated

# **Images**

**Application Notes** 


Immunohistochemistry-Paraffin: Tollip Antibody [NBP1-81597] - Staining of human cerebral cortex, epididymis, liver and testis using Anti-TOLLIP antibody NBP1-81597 (A) shows similar protein distribution across tissues to independent antibody NBP1-81596 (B).






For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.

Western Blot: Tollip Antibody [NBP1-81597] - Analysis in U-87MG ATCC cells transfected with control siRNA, target specific siRNA probe #1,. Remaining relative intensity is presented. Loading control: Anti-PPIB.




Immunocytochemistry/Immunofluorescence: Tollip Antibody [NBP1-81597] - Immunofluorescent staining of human cell line U-2 OS shows localization to plasma membrane & cytosol.




Immunohistochemistry-Paraffin: Tollip Antibody [NBP1-81597] - Staining of human cerebral cortex.




Western Blot: Tollip Antibody [NBP1-81597] - Analysis in human cerebral cortex tissue.




Western Blot: Tollip Antibody [NBP1-81597] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.




Immunohistochemistry-Paraffin: Tollip Antibody [NBP1-81597] - Staining of human liver.



Immunohistochemistry-Paraffin: Tollip Antibody [NBP1-81597] - Staining of human testis.



Immunohistochemistry-Paraffin: Tollip Antibody [NBP1-81597] - Staining of human epididymis.



## **Publications**

Torun A, Szymanska E, Castanon I et al. Endocytic Adaptor Protein Tollip Inhibits Canonical Wnt Signaling. PLoS One 2015-01-01 [PMID: 26110841] (ICC/IF, Human)

Stadler C, Rexhepaj E, Singan VR et al. Immunofluorescence and fluorescent-protein tagging show high correlation for protein localization in mammalian cells. Nat Methods 2013-04-01 [PMID: 23435261]





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-81597**

NBP1-81597PEP Tollip Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81597

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

