Product Datasheet

MEIS2 Antibody - BSA Free NBP1-81669

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-81669

Updated 8/6/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-81669




NBP1-81669

MEIS2 Antibody - BSA Free

ease
naw
to ADHN
tion-
scence
. <i>t</i>

Images

Immunocytochemistry/Immunofluorescence: MEIS2 Antibody [NBP1-81669] - Staining of human cell line A-431 shows localization to nucleoplasm & cytosol. Antibody staining is shown in green.






Page 2 of 4 v.20.1 Updated 8/6/2025 Immunohistochemistry-Paraffin: MEIS2 Antibody [NBP1-81669] -Staining of human liver shows low positivity in hepatocytes as expected. Immunohistochemistry-Paraffin: MEIS2 Antibody [NBP1-81669] -Staining of human cerebral cortex shows strong nuclear positivity in neurons. Immunohistochemistry-Paraffin: MEIS2 Antibody [NBP1-81669] -Staining of human endometrium shows moderate nuclear positivity in glandular and stromal cells. Immunohistochemistry-Paraffin: MEIS2 Antibody [NBP1-81669] -Staining of human prostate shows strong nuclear positivity in glandular and smooth muscle cells.



ChIP-Exo-Seq composite graph for Anti-MEIS2 (NBP1-81669) tested in K562 cells. Strand-specific reads (blue: forward, red: reverse) and IgG controls (black: forward, grey: reverse) are plotted against the distance from a composite set of reference binding sites. The antibody exhibits robust target enrichment compared to a non-specific IgG control and precisely reveals its structural organization around the binding site. Data generated by Prof. B. F. Pugh's Lab at Cornell University.



Publications

Lee Q, Chan WC, Qu X et al. End binding-3 inhibitor activates regenerative program in age-related macular degeneration Cell reports. Medicine 2023-10-17 [PMID: 37794584] (SDS-Page, Human)

He B, Ebarasi L, Zhao Z et al. Lmx1b and FoxC Combinatorially Regulate Podocin Expression in Podocytes. J Am Soc Nephrol 2014-12-01 [PMID: 24854274] (ICC/IF, WB, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-81669

NBP1-81669PEP MEIS2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81669

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

