Product Datasheet

NOP58 Antibody - BSA Free NBP1-81680

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-81680

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-81680




NBP1-81680

LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	NOP58 Antibody - BSA Free	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Storage Stora at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunonistochemistry-Paraffin, IHER pH 6 retrieval is recommended. ICC/IF Fixation	Product Information	
Storage Stora at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Unit Size	0.1 ml
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Immunofluorescence, Immunohistochemistry Immunohistochemistry/ Immunohistochemistry (Immunohistochemistry (Im	Concentration	
Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Storage	·
Isotype	Clonality	Polyclonal
Purity Buffer PBS (pH 7.2) and 40% Glycerol Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Preservative	0.02% Sodium Azide
PBS (pH 7.2) and 40% Glycerol Product Description	Isotype	IgG
Product Description Description Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID \$1602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Purity	Immunogen affinity purified
Novus Biologicals Rabbit NOP58 Antibody - BSA Free (NBP1-81680) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host	Buffer	PBS (pH 7.2) and 40% Glycerol
polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 51602 Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Product Description	
Gene Symbol Gene Symbol NOP58 Species Human, Mouse, Rat Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Description	polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus
Gene Symbol NOP58 Species Human, Mouse, Rat Marker Nucleolar Marker This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Host	Rabbit
Species	Gene ID	51602
Marker Nucleolar Marker Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids:	Gene Symbol	NOP58
Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Species	Human, Mouse, Rat
amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM MAIAPNVTVMVGELVGARLIAHAGSLL Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Marker	Nucleolar Marker
Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Immunogen	amino acids: LDKELNNYIMRCREWYGWHFPELGKIISDNLTYCKCLQKVGDRKNYASAKLSE LLPEEVEAEVKAAAEISMGTEVSEEDICNILHLCTQVIEISEYRTQLYEYLQNRM
Immunofluorescence, Immunohistochemistry	Product Application Details	
Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation	Applications	
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml,
Permeabilization: Use PFA/Triton X-100.	Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Western Blot: NOP58 Antibody [NBP1-81680] - Analysis using Anti-NOP58 antibody NBP1-81680 (A) shows similar pattern to independent antibody NBP1-81681 (B).




Immunocytochemistry/Immunofluorescence: NOP58 Antibody [NBP1-81680] - Staining of human cell line U-251 MG shows localization to nucleoli fibrillar center. Antibody staining is shown in green.



Western Blot: NOP58 Antibody [NBP1-81680] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.



Immunohistochemistry-Paraffin: NOP58 Antibody [NBP1-81680] - Staining of human cerebral cortex shows strong nucleolar and weaker nuclear positivity in neurons.



Page 3 of 4 v.20.1 Updated 9/9/2025 Immunohistochemistry-Paraffin: NOP58 Antibody [NBP1-81680] -Staining of human kidney shows strong nucleolar positivity in cells in tubules. Immunohistochemistry-Paraffin: NOP58 Antibody [NBP1-81680] -Staining of human lymph node shows strong nucleolar and moderate nuclear positivity in non-germinal center cells. Immunohistochemistry-Paraffin: NOP58 Antibody [NBP1-81680] -Staining of human stomach shows strong nucleolar and moderate nuclear positivity in glandular cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-81680

NBP1-81680PEP NOP58 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81680

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

