Product Datasheet

MFSD6 Antibody - BSA Free NBP1-82203

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-82203

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-82203



NBP1-82203


MFSD6 Antibody - BSA Free

Product Information Unit Size	MFSD6 Antibody - BSA Free	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPATIDLYQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNIKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Immunocytochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For Inc-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Unit Size	0.1 ml
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry-Paraffin 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Concentration	
Preservative Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQTEDVMPRIEPPLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunocytochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes	Storage	
Isotype	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for nontested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Preservative	0.02% Sodium Azide
Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Isotype	IgG
Product Description Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry: Use	Purity	Immunogen affinity purified
Host Rabbit Gene ID 54842 Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene Symbol MFSD6 Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Description	
Gene Symbol Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
Species Human Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene ID	54842
Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	MFSD6
tested species: Mouse (85%), Rat (83%) Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Species	Human
amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE THSDPSRNQPSPDAAASQTQTSPAHPSVDPC Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Reactivity Notes	
Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	amino acids: PVPSSPVPIATIDLVQQQTEDVMPRIEPRLPPKKTKHQEEQEDVNKPAWGVSS SPWVTFVYALYQIKEMMQLTRDNRASEIQPLQGTNENRENSPAGRAQPVPCE
Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
O.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Recommended Dilutions	
PFA/Triton X-100.	Application Notes	




Images

Immunocytochemistry/Immunofluorescence: MFSD6 Antibody [NBP1-82203] - Immunofluorescent staining of human cell line A-431 shows localization to nucleoplasm & cytosol.



Immunohistochemistry-Paraffin: MFSD6 Antibody [NBP1-82203] - Staining of human cerebellum shows strong cytoplasmic positivity in Purkinje cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-82203

NBP1-82203PEP MFSD6 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-82203

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

