

Product Datasheet

NSDHL Antibody - BSA Free

NBP1-83307

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-83307

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-83307



NBP1-83307

NSDHL Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description

Description	Novus Biologicals Rabbit NSDHL Antibody - BSA Free (NBP1-83307) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-NSDHL Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	50814
Gene Symbol	NSDHL
Species	Human
Reactivity Notes	Reactivity reported in scientific literature (PMID: 19393779).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MEPAVSEPMRDQVARTHLTEDTPKVNADIEKVNQNAKRCRTVIGGSGFLGQH MVEQLLARGYAVNVFDIQQGFDNPQVRFFLGDLCSRQDLYPALKGVNTVFHCA SPPPSSNNKELFYRVNYIGT


Product Application Details

Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining in human epididymis and lymph node tissues using anti-NSDHL antibody. Corresponding NSDHL RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining of human cerebral cortex, epididymis, lymph node and testis using Anti-NSDHL antibody NBP1-83307 (A) shows similar protein distribution across tissues to independent antibody NBP1-83306 (B).




Western Blot: NSDHL Antibody [NBP1-83307] - Analysis using Anti-NSDHL antibody NBP1-83307 (A) shows similar pattern to independent antibody NBP1-83306 (B).




Immunocytochemistry/Immunofluorescence: NSDHL Antibody [NBP1-83307] - Staining of human cell line A-431 shows localization to endoplasmic reticulum & lipid droplets. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining of human cerebral cortex using Anti-NSDHL antibody.




Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining of human epididymis shows high expression.



Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining of human lymph node shows low expression as expected.



Immunohistochemistry-Paraffin: NSDHL Antibody [NBP1-83307] - Staining of human testis using Anti-NSDHL antibody.



Publications

Stadler C, Rexhepaj E, Singan VR et al. Immunofluorescence and fluorescent-protein tagging show high correlation for protein localization in mammalian cells. Nat Methods 2013-04-01 [PMID: 23435261]

Parent N, Winstall E, Beauchemin M et al. Proteomic analysis of enriched lysosomes at early phase of camptothecin-induced apoptosis in human U-937 cells. J Proteomics 2009-08-20 [PMID: 19393779]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-83307

NBP1-83307PEP	NSDHL Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-83307

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

