# **Product Datasheet**

# ERp57/PDIA3 Antibody - BSA Free NBP1-84796

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-84796

Updated 9/24/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-84796




# NBP1-84796

ERp57/PDIA3 Antibody - BSA Free	
Product Information	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Novus Biologicals Rabbit ERp57/PDIA3 Antibody - BSA Free (NBP1-84796) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-ERp57/PDIA3 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
2923	
PDIA3	
Human, Mouse, Rat	
Endoplasmic Reticulum Marker	
This antibody was developed against Recombinant Protein corresponding to amino acids: PTLKIFRDGEEAGAYDGPRTADGIVSHLKKQAGPASVPLRTEEEFKKFISDKDA SIVGFFDDSFSEAHSEFLKAASNLRDNYRFAHTNVESLVNEYDDNGEGIILFRPS HLTNKFEDK	
Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated	
Western Blot 0.04 - 0.4 ug/ml, Immunohistochemistry 1:2500 - 1:5000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:2500 - 1:5000, Knockdown Validated	
For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.	




### **Images**


Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining in human thyroid gland and skeletal muscle tissues using NBP1-84796 antibody. Corresponding PDIA3 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human gastrointestinal, prostate, skeletal muscle and thyroid gland using Anti-PDIA3 antibody NBP1-84796 (A) shows similar protein distribution across tissues to independent antibody NBP1-84797 (B).




Western Blot: ERp57/PDIA3 Antibody [NBP1-84796] - Analysis using Anti-PDIA3 antibody NBP1-84796 (A) shows similar pattern to independent antibody NBP1-84797 (B).



Immunocytochemistry/Immunofluorescence: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human cell line U-2 OS shows localization to endoplasmic reticulum. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human prostate shows moderate cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human skeletal muscle shows no cytoplasmic positivity in myocytes as expected.




Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human small intestine shows moderate to strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: ERp57/PDIA3 Antibody [NBP1-84796] - Staining of human thyroid gland shows strong cytoplasmic positivity in glandular cells.



Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.



Analysis in U-251MG cells transfected with control siRNA, target specific siRNA probe #1 and #2, using Anti-PDIA3 antibody. Remaining relative intensity is presented. Loading control: Anti-GAPDH.



#### **Publications**

Bechor E, Dahan I, Fradin T et al. The dehydrogenase region of the NADPH oxidase component Nox2 acts as a protein disulfide isomerase (PDI) resembling PDIA3 with a role in the binding of the activator protein p67phox. Front Chem 2015-01-01 [PMID: 25699251] (WB, Human)

Feng H, Li X, Chan V, Chen WN. Proteomics Based Identification of Cell Migration Related Proteins in HBV Expressing HepG2 Cells. PLoS One 2014-01-01 [PMID: 24763314] (WB)

Logan CV, Szabadkai G, Sharpe JA et al. Loss-of-function mutations in MICU1 cause a brain and muscle disorder linked to primary alterations in mitochondrial calcium signaling. Nat Genet 2014-02-01 [PMID: 24336167]

Racape M, Duong Van Huyen JP, Danger R et al. The involvement of SMILE/TMTC3 in endoplasmic reticulum stress response. PLoS One 2011-01-01 [PMID: 21603654]





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP1-84796**

NBP1-84796PEP ERp57/PDIA3 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-84796

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

