Product Datasheet

EGFR Antibody - BSA Free NBP1-84814

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-84814

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-84814



NBP1-84814

EGFR Antibody - BSA Free


•	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	

Product Description	
Host	Rabbit
Gene ID	1956
Gene Symbol	EGFR
Species	Human, Mouse, Rat
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids 1019-1168 of human EGFR's cytoplasmic domain (UniProtKB - P00533): QQGFFSSPSTSRTPLLSSLSATSNNSTVACIDRNGLQSCPIKEDSFLQRYSSDP TGALTEDSIDDTFLPVPEYINQSVPKRPAGSVQNPVYHNQPLNPAPSRDPHYQ DPHSTAVGNPEYLNTVQPTCVNSTFDSPAHWAQKGSHQISLD

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


Images

Immunohistochemistry-Paraffin: EGFR Antibody [NBP1-84814] - Staining in human placenta and tonsil tissues using anti-EGFR antibody. Corresponding EGFR RNA-seq data are presented for the same tissues.







Western Blot: EGFR Antibody [NBP1-84814] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.




Immunocytochemistry/Immunofluorescence: EGFR Antibody [NBP1-84814] - Staining of human cell line A-431 shows positivity in plasma membrane. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: EGFR Antibody [NBP1-84814] - Staining of human placenta shows strong membranous positivity in trophoblastic cells.




Western Blot: EGFR Antibody [NBP1-84814] - Analysis in human cell line A-549.




Immunohistochemistry-Paraffin: EGFR Antibody [NBP1-84814] - Staining of human tonsil shows low expression as expected.



Immunohistochemistry-Paraffin: EGFR Antibody [NBP1-84814] - Staining of human breast shows moderate cytoplasmic positivity in glandular cells.



Immunohistochemistry-Paraffin: EGFR Antibody [NBP1-84814] - Staining of human cerebellum shows no positivity in Purkinje cells as expected.



Publications

Balaji V, Haverkamp S, Seth PK et al. Immunohistochemical characterization of bipolar cells in four distantly related avian species The Journal of comparative neurology 2022-12-22 [PMID: 36550622] (IHC, Avian, Pigeon, Chicken)

Luke GP, Myers JN, Emelianov SY, Sokolov KV. Sentinel lymph node biopsy revisited: ultrasound-guided photoacoustic detection of micrometastases using molecularly targeted plasmonic nanosensors. Cancer Res 2014-10 -01 [PMID: 25106426] (IF/IHC, Mouse)

Arabi A, Ullah K, Branca RM et al. Proteomic screen reveals Fbw7 as a modulator of the NF-kappa pathway. Nat Commun 2012-01-01 [PMID: 22864569]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-84814

NBP1-84814PEP EGFR Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-84814

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

