Product Datasheet

PD-ECGF/Thymidine Phosphorylase Antibody - BSA Free NBP1-84916

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-84916

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-84916



NBP1-84916

PD-ECGF/Thymidine Phosphorylase Antibody - BSA Free


•
0.1 ml
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
lgG
Immunogen affinity purified
PBS (pH 7.2) and 40% Glycerol
50 kDa

Day 1 and Day and all and	
Product Description	
Host	Rabbit
Gene ID	1890
Gene Symbol	TYMP
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 26623038).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: EGSQGLPDPSPEPKQLPELIRMKRDGGRLSEADIRGFVAAVVNGSAQGAQIGA MLMAIRLRGMDLEETSVLTQALAQSGQQLEWPEAWRQQLVDKHSTGGVGDK VSLVLAPALAACGCKVPMISG

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	IHC reported in scientific literature (PMID: 26623038). For IHC-Paraffin, HIER pH 6 retrieval is recommended.


Images

Western Blot: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Analysis in human cell line CAPAN-2.







Immunohistochemistry-Paraffin: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Staining in human lymph node and skeletal muscle tissues . Corresponding TYMP RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Staining of human lymph node shows moderate cytoplasmic positivity in lymphoid cells.




Immunohistochemistry-Paraffin: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Staining of human lung shows moderate cytoplasmic positivity in macrophages.



Immunohistochemistry-Paraffin: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Staining of human small intestine shows moderate cytoplasmic positivity in lymphoid cells.



Immunohistochemistry-Paraffin: PD-ECGF/Thymidine Phosphorylase Antibody [NBP1-84916] - Staining of human skeletal muscle shows no positivity in myocytes as expected.



Publications

HARADA S, YANAGISAWA M, KANEKO S et al. Superior antitumor activity of trastuzumab combined with capecitabine plus oxaliplatin in a human epidermal growth factor receptor 2-positive human gastric cancer xenograft model. Mol Clin Oncol 2015-09-01 [PMID: 26623038] (IF/IHC, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-84916

NBP1-84916PEP PD-ECGF/Thymidine Phosphorylase Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-84916

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

