

Product Datasheet

Cyclophilin B Antibody NBP1-85358

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-85358

Updated 4/6/2023 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-85358



NBP1-85358

Cyclophilin B Antibody


Product Information	
Unit Size	0.1 ml
Concentration	0.1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Host	Rabbit
Gene ID	5479
Gene Symbol	PPIB
Species	Human, Mouse, Rat
Reactivity Notes	Reactivity reported in scientific literature (PMID: 24339976)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: LKHYPGWVSMANAGKDTNGSQFFITTVKTAWLDGKHVVFGKVLEGMEVVRK VESTKTDSRDKPLKDVIIADCGKIEVEKPFIAIKE


Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 8 ug/mL, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500-1:1000, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100. Cyclophilin B antibody validated for Simple Western from a verified customer review.

Images


Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining in human thyroid gland and skeletal muscle tissues using anti-PPIB antibody. Corresponding PPIB RNA-seq data are presented for the same tissues.




Western Blot: Cyclophilin B Antibody [NBP1-85358] - Analysis in U-251MG cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented. Loading control: Anti-GAPDH.




Western Blot: Cyclophilin B Antibody [NBP1-85358] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.




Immunocytochemistry/Immunofluorescence: Cyclophilin B Antibody [NBP1-85358] - Staining of human cell line HUVEC TERT2 shows localization to endoplasmic reticulum. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining of human placenta shows strong granular cytoplasmic positivity in trophoblastic cells.




Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining of human skeletal muscle shows low expression as expected.




Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining of human thyroid gland shows high expression.



Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining of human prostate shows weak granular cytoplasmic positivity in glandular cells.



Immunohistochemistry-Paraffin: Cyclophilin B Antibody [NBP1-85358] - Staining of human endometrium shows moderate granular cytoplasmic positivity in glandular cells.



Publications

Hayashi T, Saito T, Fujimura T et al. Galectin-4, a Novel Predictor for Lymph Node Metastasis in Lung Adenocarcinoma. PLoS One 2013-01-01 [PMID: 24339976]

van Dijk FS, Nesbitt IM, Zwikstra EH et al. PPIB mutations cause severe osteogenesis imperfecta. Am J Hum Genet 2009-10-01 [PMID: 19781681]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-85358

NBP1-85358PEP	Cyclophilin B Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-85358

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

