Product Datasheet

PEX5 Antibody - BSA Free NBP1-87185

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-87185

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-87185




NBP1-87185

PEX5 Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	5830
Gene Symbol	PEX5
Species	Human, Mouse
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: DAVDVTQDYNETDWSQEFISEVTDPLSVSPARWAEEYLEQSEEKLWLGEPEG TATDRWYDEYHPEEDLQHTASDFVAKVDDPKLA
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.

Images


Immunohistochemistry-Paraffin: PEX5 Antibody [NBP1-87185] - Staining of human cerebral cortex, colon, lymph node and testis using Anti-PEX5 antibody NBP1-87185 (A) shows similar protein distribution across tissues to independent antibody NBP2-38443 (B).
















Publications

Fu X, Wan P, Lu L et al. Peroxisome Deficiency in Cochlear Hair Cells Causes Hearing Loss by Deregulating BK Channels Advanced science (Weinheim, Baden-Wurttemberg, Germany) 2023-05-12 [PMID: 37171794] (IHC, WB, Mouse)

Balakrishnan A Glial cells in health and disease Thesis 2020-01-01 (WB, Human)

www.novusbio.com

Chen BH, Chang YJ, Lin S, Yang WY Hsc70/Stub1 promotes the removal of individual oxidatively stressed peroxisomes Nat Commun 2020-10-19 [PMID: 33077711] (WB, Mouse)

Balakrishnan A, Adnani L, Chinchalongporn V et al. SMPD3-mediated extracellular vesicle biogenesis inhibits oligodendroglioma growth bioRxiv 2020-07-15 (WB)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-87185

NBP1-87185PEP	PEX5 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87185

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

