Product Datasheet

NFkB2/NFkB p100 Antibody - BSA Free NBP1-87760

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-87760

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-87760



NBP1-87760


NFkB2/NFkB p100 Antibody - BSA Free

NFkB2/NFkB p100 Antibody - BSA Free	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Product Description	
Novus Biologicals Rabbit NFkB2/NFkB p100 Antibody - BSA Free (NBP1-87760) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and Simple Western. Anti-NFkB2/NFkB p100 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
4791	
NFKB2	
Human	
This antibody was developed against Recombinant Protein corresponding to amino acids: LLNAAQNTMEPPLTPPSPAGPGLSLGDTALQNLEQLLDGPEAQGSWAELAERL GLRSLVDTYRQTTSPSGSLLRSYELAGGDLAGLLEALSDMGLEEGVRLLRGPE TRDKLPSTEVKEDSAYGSQSVEQEA	
Western Blot, Simple Western, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated	
Western Blot 0.04-0.4 ug/ml, Simple Western 1:30, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000, Knockdown Validated	
For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See Simple Western Antibody Database for Simple Western validation: Tested in RT4, separated by Size, antibody dilution of 1:30, apparent MW was 134 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue.	




Images


Western Blot: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Western blot analysis in A-431 cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented. Loading control: Anti-GAPDH.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining in human appendix and skeletal muscle tissues using anti-NFKB2 antibody. Corresponding NFKB2 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human cerebral cortex, kidney, lymph node and testis using Anti-NFKB2 antibody NBP1-87760 (A) shows similar protein distribution across tissues to independent antibody NBP1-87759 (B).




Western Blot: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Analysis using Anti-NFKB2 antibody NBP1-87760 (A) shows similar pattern to independent antibody NBP1-87759 (B).




Immunocytochemistry/Immunofluorescence: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human cell line A-431 shows localization to cytosol. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human testis.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human appendix shows high expression.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human skeletal muscle shows low expression as expected.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human kidney.



Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human lymph node.




Immunohistochemistry-Paraffin: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Staining of human cerebral cortex.



Simple Western: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Simple Western lane view shows a specific band for NFKB2 in 0.2 mg/ml of RT4 lysate. This experiment was performed under reducing conditions using the 66-440 kDa separation system.



Simple Western: NFkB2/NFkB p100 Antibody [NBP1-87760] - NFkB p100/p52 Antibody [NBP1-87760] - Electropherogram image(s) of corresponding Simple Western lane view. NFkB p100/p52 antibody was used at 1:30 dilution on RT4 lysate(s).



Publications

Xu W, Mo J, Ocak U et al. Activation of Melanocortin 1 Receptor Attenuates Early Brain Injury in a Rat Model of Subarachnoid Hemorrhage viathe Suppression of Neuroinflammation through AMPK/TBK1/NF-?B Pathway in Rats Neurotherapeutics 2020-01-01 [PMID: 31486022] (Western Blot)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-87760

NBP1-87760PEP NFkB2/NFkB p100 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87760

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

