

Product Datasheet

UBPY/USP8 Antibody NBP1-89643

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-89643

Updated 12/18/2017 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-89643



NBP1-89643

UBPY/USP8 Antibody

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Host	Rabbit
Gene ID	9101
Gene Symbol	USP8
Species	Human
Reactivity Notes	Human reactivity reported in scientific literature (PMID: 25485838).
Specificity/Sensitivity	Specificity of antibody verified on a Protein Array containing target protein plus 383 other non-specific proteins.
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids:LPDDSKDTWKKRGNVEYVLLDWFSSAKDLQIGTTLRSLKDALFKWESK TVLRNEPLVLEGGYENWLLCYPQYTTNAKVTPPPRRQNEEVSI SLDF TYPSLEE SIPSKPAAQTPPASIEVDENIELISGQNERMGPLNI

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.4 ug/ml, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.




Images

Western Blot: UBPY/USP8 Antibody [NBP1-89643] - Analysis in human cell line A-549.



Immunohistochemistry-Paraffin: UBPY/USP8 Antibody [NBP1-89643] - Staining of human testis shows strong cytoplasmic and nuclear positivity in cells in seminiferous ducts



Publications

Martin Reincke, Silviu Sbiera, Akira Hayakawa et al. Mutations in the deubiquitinase gene USP8 cause Cushings disease. *Nature Genetics* 2014 Dec 08 [PMID: 25485838] (ICC/IF, Human)



Novus Biologicals USA

8100 Southpark Way, A-8
Littleton, CO 80120
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89643

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

