

Product Datasheet

GERP Antibody NBP1-89776

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-89776

Updated 5/29/2017 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-89776




NBP1-89776

GERP Antibody


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	81603
Gene Symbol	TRIM8
Species	Human
Specificity/Sensitivity	Specificity of antibody verified on a Protein Array containing target protein plus 383 other non-specific proteins.
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: QDIEDQLYKLESDKRLVEEKVNQLKEEVRQLQYEKLHQLLDEDLRQTVEVL DKAQAKFCSENAQAALHLGERMQEAKKLLGS
Product Application Details	
Applications	Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1 - 4 ug/ml, Immunohistochemistry-Paraffin 1:50-1:200
Application Notes	For IHC-Paraffin HIER pH6 retrieval is recommended. IF fixation/permeabilization: PFA/Triton X-100.

Images

Immunocytochemistry/Immunofluorescence: GERP Antibody [NBP1-89776] - Immunofluorescent staining of human cell line U-251 MG shows localization to nucleoplasm & vesicles.



Immunohistochemistry-Paraffin: GERP Antibody [NBP1-89776] - Staining of human skeletal muscle shows cytoplasmic positivity in myocytes.



Publications

Zhang C, Mukherjee S, Tucker-Burden C et al. TRIM8 regulates stemness in glioblastoma through PIAS3-STAT3. Mol Oncol 2017 Mar [PMID: 28100038]



Novus Biologicals USA

8100 Southpark Way, A-8
Littleton, CO 80120
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Products Related to NBP1-89776

NBP1-89776PEP	GERP Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89776

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

