# **Product Datasheet**

# HSD17B13 Antibody - BSA Free NBP1-90669

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-90669

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-90669



#### NBP1-90669


HSD17B13 Antibody - BSA Free

0.1 ml
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
IgG
Immunogen affinity purified
PBS (pH 7.2) and 40% Glycerol
Rabbit
345275
HSD17B13
Human
Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (87%), Rat (89%)
This antibody was developed against Recombinant Protein corresponding to amino acids:  NNAGTVYPADLLSTKDEEITKTFEVNILGHFWITKALLPSMMERNHGHIVTVASV CGHEGIPYLIPYCSSKFAAVGFHRGLTSELQALGKTGIKTSCLCPVFVNTGFTKN PSTRLWPVLETDEVVRSLI

<b>Product Application Details</b>	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


# **Images**

Immunohistochemistry-Paraffin: HSD17B13 Antibody [NBP1-90669] - Staining in human liver and tonsil tissues . Corresponding HSD17B13 RNA-seq data are presented for the same tissues.







Immunocytochemistry/Immunofluorescence: HSD17B13 Antibody [NBP1 -90669] - Staining of human cell line U-251 MG shows localization to the Golgi apparatus and vesicles. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: HSD17B13 Antibody [NBP1-90669] - Staining of human placenta shows no positivity in trohphoblastic cells as expected.




Immunohistochemistry-Paraffin: HSD17B13 Antibody [NBP1-90669] - Staining of human liver shows moderate to strong granular cytoplasmic positivity in hepatocytes.



Immunohistochemistry-Paraffin: HSD17B13 Antibody [NBP1-90669] - Staining of human skin shows moderate granular cytoplasmic positivity in basal epidermal cells.



Immunohistochemistry-Paraffin: HSD17B13 Antibody [NBP1-90669] - Staining of human tonsil shows no positivity in lymphoid cells as expected.



#### **Publications**

Frietze KK, Brown AM, Das D et al. Lipotoxicity reduces DDX58/Rig-1 expression and activity leading to impaired autophagy and cell death Autophagy 2021-05-09 [PMID: 33966599]





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-90669**

NBP1-90669PEP HSD17B13 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-90669

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

