Product Datasheet

PYK2/FAK2 Antibody - BSA Free NBP1-91227

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-91227

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-91227



NBP1-91227


PYK2/FAK2 Antibody - BSA Free

Unit Size0.1 mlConcentrationConcentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionEtablitHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: GQSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200Application NotesFor IHC-Paraffin, HIER pH 6 retrieval is recommended.	Product Information	
contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKNGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry. I:50 - 1:200, Immunohistochemistry Paraffin 1:50 - 1:200	Unit Size	0.1 ml
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Concentration	
Preservative0.02% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry.ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Storage	
IsotypeIgGPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionProduct DescriptionHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Clonality	Polyclonal
PurityImmunogen affinity purifiedPurityImmunogen affinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Preservative	0.02% Sodium Azide
Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 2185 Gene Symbol PTK2B Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Isotype	IgG
Product Description Host Rabbit Gene ID 2185 Gene Symbol PTK2B Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry 1:50 - 1:200	Purity	Immunogen affinity purified
HostRabbitGene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene ID2185Gene SymbolPTK2BSpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Product Description	
Gene Symbol PTK2B Species Human Immunogen This antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKG Product Application Details Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Host	Rabbit
SpeciesHumanImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry 1:50 - 1:200, 	Gene ID	2185
ImmunogenThis antibody was developed against Recombinant Protein corresponding to amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Gene Symbol	PTK2B
amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG GPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGProduct Application DetailsApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Species	Human
ApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Immunogen	amino acids: QGSLIIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDIYAEIPDETLRRPG
Recommended DilutionsWestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	Product Application Details	
Immunohistochemistry-Paraffin 1:50 - 1:200	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Application NotesFor IHC-Paraffin, HIER pH 6 retrieval is recommended.	Recommended Dilutions	
	Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.




Images

Western Blot: PYK2/FAK2 Antibody [NBP1-91227] - Analysis using Anti-PTK2B antibody NBP1-91227 (A) shows similar pattern to independent antibody NBP1-91228 (B).



Immunohistochemistry-Paraffin: PYK2/FAK2 Antibody [NBP1-91227] - Staining of human cerebral cortex shows moderate positivity in neuronal and glial cells and in neuropil.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-91227

NBP1-91227PEP	PYK2/FAK2 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-91227

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

