

Product Datasheet

FOG2 Antibody NBP1-91909

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-91909

Updated 11/19/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-91909



NBP1-91909**FOG2 Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description


Host	Rabbit
Gene ID	23414
Gene Symbol	ZFPM2
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: CLPEQEQRPPLVQQRFLDVANLNNPCTSTQEPTGLGECYHPRCDIFPGIVSK HLETSLTINKCVPVSKCDTTHSSVSCLEMDVPIDLSKKCLSQSERTTTTSPKRLLD YHECTVCKISFNKVENYLAHKQ

Product Application Details


Applications	Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.

Images


Immunocytochemistry/Immunofluorescence: FOG2 Antibody [NBP1-91909] - Immunofluorescent staining of human cell line PC-3 shows localization to nucleoplasm. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: FOG2 Antibody [NBP1-91909] - Staining of human skin shows moderate nuclear positivity in squamous epithelial cells.




Immunohistochemistry-Paraffin: FOG2 Antibody [NBP1-91909] - Staining of human cerebral cortex shows strong nuclear positivity in neuronal cells.



Immunohistochemistry-Paraffin: FOG2 Antibody [NBP1-91909] - Staining of human lung shows strong nuclear positivity in pneumocytes.



Immunohistochemistry-Paraffin: FOG2 Antibody [NBP1-91909] - Staining of human breast shows moderate nuclear positivity in glandular cells.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-91909

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

