

# Product Datasheet

## WDR79 Antibody - BSA Free

### NBP1-92592

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

#### Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-92592](http://www.novusbio.com/NBP1-92592)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-92592](http://www.novusbio.com/reviews/destination/NBP1-92592)



**NBP1-92592**


WDR79 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Description	Novus Biologicals Rabbit WDR79 Antibody - BSA Free (NBP1-92592) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-WDR79 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	55135
Gene Symbol	WRAP53
Species	Human
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (80%), Rat (81%). Human reactivity reported in scientific literature (PMID: 26426684).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: GSLSEEEANGPELGSGKAMEDTSGEPAAEDEGDTAWNYSFSQLPRFLSGSW SEFSTQPENFLKGCKWAPDGSCILTNSADNILRIYNLPPELYHEGEQVEYAEMV PVLRMVEGDTIYDYC
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:20 - 1:50, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:20 - 1:50
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100. Use in Western blot reported in scientific literature (PMID 28347242).




## Images


Western Blot: WDR79 Antibody [NBP1-92592] - Analysis in control (vector only transfected HEK293T lysate) and WRAP53 over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).




Immunocytochemistry/Immunofluorescence: WDR79 Antibody [NBP1-92592] - Staining of human cell line A-431 shows localization to nuclear bodies.




Immunohistochemistry-Paraffin: WDR79 Antibody [NBP1-92592] - Staining of human skin shows weak nuclear positivity in squamous epithelial cells.




Immunohistochemistry-Paraffin: WDR79 Antibody [NBP1-92592] - Staining of human Fallopian tube shows moderate nuclear positivity in glandular cells.




Immunohistochemistry-Paraffin: WDR79 Antibody [NBP1-92592] - Staining of human fallopian tube, kidney, liver and skin using Anti-WRAP53 antibody NBP1-92592 (A) shows similar protein distribution across tissues to independent antibody NBP1-92593 (B).



Immunohistochemistry-Paraffin: WDR79 Antibody [NBP1-92592] - Staining of human kidney shows weak to moderate nuclear positivity in cells in tubules.



Immunohistochemistry-Paraffin: WDR79 Antibody [NBP1-92592] - Staining of human liver shows no positivity in hepatocytes as expected.



## Publications

Yuan XS, Cao LX, Hu YJ et al. Clinical, cellular, and bioinformatic analyses reveal involvement of WRAP53 overexpression in carcinogenesis of lung adenocarcinoma. *Tumour Biol.* 2017-03-01 [PMID: 28347242] (WB, Human)

Hedstrom E, Pederiva C, Farnebo J et al. Downregulation of the cancer susceptibility protein WRAP53beta in epithelial ovarian cancer leads to defective DNA repair and poor clinical outcome. *Cell Death Dis* 2015-01-01 [PMID: 26426684] (IF/IHC, Human)



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-92592**

---

NBP1-92592PEP	WDR79 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-92592](http://www.novusbio.com/reviews/submit/NBP1-92592)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

