

Product Datasheet

Tollip Antibody (Kimmy-2) - BSA Free NBP1-97632

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-97632

Updated 2/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-97632



NBP1-97632

Tollip Antibody (Kimmy-2) - BSA Free


Product Information	
Unit Size	0.05 mg
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	Kimmy-2
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Tissue culture supernatant
Buffer	PBS

Product Description	
Host	Mouse
Gene ID	54472
Gene Symbol	TOLLIP
Species	Mouse
Reactivity Notes	There is a weak cross-reactivity to Human Tollip. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Recombinant mouse Tollip (aa 1-274).

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1 ug/ml, Immunocytochemistry/ Immunofluorescence 1:100, Immunoprecipitation 1:10-1:500

Images

Immunocytochemistry/Immunofluorescence: Tollip Antibody (Kimmy-2) [NBP1-97632] - Detection of Tollip in Tollip ^{-/-} (A) or overexpressed Tollip in ^{-/-} (B) murine embryonic fibroblasts (MEF) cells with the MAb to Tollip (Kimmy-2). Method: Following fixation with paraformaldehyde 3.7% and permeabilization with 0.2% saponin, MEF cells were incubated with the MAb to Tollip (Kimmy-2) at a 1:100 dilution. An anti-mouse IgG antibody conjugated with Alexa Fluor 488 was used for detection.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-97632

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP1-72313-50ug	Recombinant Human Tollip His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97632

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

