Product Datasheet

katanin-p80 Antibody (OTI5E1) NBP2-01408

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-01408

Updated 9/6/2018 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-01408



NBP2-01408


katanin-p80 Antibody (OTI5E1)

Katanin-pou Antibudy (OTISET)	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI5E1
Preservative	0.02% Sodium Azide
Isotype	lgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	72.2 kDa
Product Description	
Host	Mouse
Gene ID	10300
Gene Symbol	KATNB1
Species	Human
Reactivity Notes	Human
Immunogen	Full length recombinant protein of human katanin-p80 (NP_005877) produced in HEK293T cells.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence
Recommended Dilutions	Western Blot 1:2000, Flow Cytometry 1:100, Immunocytochemistry/Immunofluorescence 1:100




Images


Western Blot: katanin-p80 Antibody (5E1) [NBP2-01408] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY katanin-p80 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-katanin-p80.



Immunocytochemistry/Immunofluorescence: katanin-p80 Antibody (5E1) [NBP2-01408] Staining of COS7 cells transiently transfected by pCMV6-ENTRY katanin-p80.



Flow Cytometry: katanin-p80 Antibody (5E1) [NBP2-01408] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-katanin-p80 antibody, and then analyzed by flow cytometry.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Novus Biologicals Europe

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info@bio-techne.com

Novus Biologicals Canada

461 North Service Road West, Unit B37 Oakville, ON L6M 2V5

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada@novusbio.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-01408

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

