# **Product Datasheet**

# DCXR Antibody (OTI7D11) NBP2-02192

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-02192

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-02192



### NBP2-02192

DCXR Antibody (OTI7D11)

Box (Ciribility	
Product Information	
Unit Size	0.1 ml
Concentration	0.51 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI7D11
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	25.9 kDa
Product Description	
Host	Mouse
Gene ID	51181
Gene Symbol	DCXR
Species	Human


<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:50, Immunohistochemistry-Paraffin 1:50

### **Images**

**Immunogen** 

Western Blot: DCXR Antibody (7D11) [NBP2-02192] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DCXR (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DCXR.

in HEK293T cell.




Full length human recombinant protein of human DCXR (NP\_057370) produced


Page 2 of 4 v.20.1 Updated 10/23/2024 Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] Staining of paraffin-embedded thyroid tissue using anti-DCXRmouse monoclonal antibody. Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] -Staining of paraffin-embedded Adenocarcinoma of breast tissue using anti-DCXR mouse monoclonal antibody. Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] -Staining of paraffin-embedded Carcinoma of liver tissue using anti-DCXR mouse monoclonal antibody. Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] -Staining of paraffin-embedded liver tissue using anti-DCXRmouse monoclonal antibody.



Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] - Staining of paraffin-embedded lung tissue using anti-DCXR mouse monoclonal antibody.



Immunohistochemistry-Paraffin: DCXR Antibody (7D11) [NBP2-02192] - Staining of paraffin-embedded Ovary tissue using anti-DCXR mouse monoclonal antibody.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-02192**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-59543-20ug Recombinant Human DCXR His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-02192

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

