

# Product Datasheet

## KCTD5 Antibody (OTI3C8) NBP2-02414

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-02414](http://www.novusbio.com/NBP2-02414)

Updated 10/23/2024 v.20.1

**Earn rewards for product reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-02414](http://www.novusbio.com/reviews/destination/NBP2-02414)



**NBP2-02414**

KCTD5 Antibody (OTI3C8)

**Product Information**

<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	1 mg/ml
<b>Storage</b>	Store at -20C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	OTI3C8
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG2b
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
<b>Target Molecular Weight</b>	26.1 kDa

**Product Description**


<b>Host</b>	Mouse
<b>Gene ID</b>	54442
<b>Gene Symbol</b>	KCTD5
<b>Species</b>	Human, Mouse, Rat, Canine, Monkey
<b>Reactivity Notes</b>	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
<b>Immunogen</b>	Full length human recombinant protein of human KCTD5 (NP_061865) produced in HEK293T cell.

**Product Application Details**


<b>Applications</b>	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Western Blot 1:2000, Flow Cytometry 1:100, Immunohistochemistry 1:100-400, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:50

**Images**


Western Blot: KCTD5 Antibody (OTI3C8) [NBP2-02414] - Analysis of extracts (35ug) from 9 different cell lines by using anti-KCTD5 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).(1:200)




Immunocytochemistry/Immunofluorescence: KCTD5 Antibody (3C8) [NBP2-02414] Staining of COS7 cells transiently transfected by pCMV6-ENTRY KCTD5.




Immunohistochemistry-Paraffin: KCTD5 Antibody (3C8) [NBP2-02414] - Staining of paraffin-embedded pancreas tissue using anti-RC200180 mouse monoclonal antibody.




Flow Cytometry: KCTD5 Antibody (3C8) [NBP2-02414] - HEK293T cells transfected with either pCMV6-ENTRY KCTD5 (Red) or empty vector control plasmid (Blue) were immunostained with anti-KCTD5 mouse monoclonal, and then analyzed by flow cytometry.




Western Blot: KCTD5 Antibody (3C8) [NBP2-02414] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY KCTD5 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-KCTD5.




Immunocytochemistry/Immunofluorescence: KCTD5 Antibody (3C8) [NBP2-02414] - Immunofluorescent staining of HeLa cells using anti-KCTD5 mouse monoclonal antibody.



Immunohistochemistry-Paraffin: KCTD5 Antibody (3C8) [NBP2-02414] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-RC200180 mouse monoclonal antibody.



Immunohistochemistry-Paraffin: KCTD5 Antibody (3C8) [NBP2-02414] - Staining of paraffin-embedded Adenocarcinoma of ovary tissue using anti-RC200180 mouse monoclonal antibody.





## Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

## General Contact Information

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: [nb-technical@bio-techne.com](mailto:nb-technical@bio-techne.com)  
Orders: [nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)  
General: [novus@novusbio.com](mailto:novus@novusbio.com)

## Products Related to NBP2-02414

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)
NBP2-23355	Recombinant Human KCTD5 His Protein

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-02414](http://www.novusbio.com/reviews/submit/NBP2-02414)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)