Product Datasheet

RND1 Antibody (OTI1C3) NBP2-03000

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-03000

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-03000



NBP2-03000


RND1 Antibody (OTI1C3)

RND1 Antibody (O111C3)	
Product Information	
0.1 ml	
0.36 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Monoclonal	
OTI1C3	
0.02% Sodium Azide	
IgG1	
Immunogen affinity purified	
PBS (pH 7.3), 1.0% BSA and 50% Glycerol	
25.9 kDa	
Product Description	
Mouse	
27289	
RND1	
Human, Mouse, Rat	
Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.	
Full length human recombinant protein of human RND1 (NP_055285) produced in HEK293T cell.	
Product Application Details	
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence	
Western Blot 1:2000, Flow Cytometry 1:100, Immunocytochemistry/ Immunofluorescence 1:100	




Images


Western Blot: RND1 Antibody (1C3) [NBP2-03000] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY RND1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RND1.




Immunocytochemistry/Immunofluorescence: RND1 Antibody (1C3) [NBP2-03000] Staining of COS7 cells transiently transfected by pCMV6-ENTRY RND1.



Flow Cytometry: RND1 Antibody (1C3) [NBP2-03000] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-RND1 antibody, and then analyzed by flow cytometry.



Flow Cytometry: RND1 Antibody (1C3) [NBP2-03000] - Analysis of Hela cells, using anti-RND1 antibody, (Red), compared to a nonspecific negative control antibody (Blue).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-03000

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-72393-100ug Recombinant Human RND1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-03000

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

