Product Datasheet

KLHL23 Overexpression Lysate NBP2-05530

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-05530

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-05530



NBP2-05530

KLHL23 Overexpression Lysate

Product Information					
Unit Size	0.1 mg				
Concentration	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.				
Storage	Store at -80C. Avoid freeze-thaw cycles.				
Buffer	RIPA buffer				
Target Molecular Weight	63.7 kDa				
Product Description					
Description	KLHL23 Transient Overexpression Lysate Expression Host: HEK293T Plasmid: RC200833 Accession#: NM_144711 Protein Tag: C-MYC/DDK You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists				
	of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT.				
Gene ID	151230				
Gene Symbol	KLHL23				
Species	Human				
Notes	HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit.				
Lysate Type	Overexpression				
Product Application Details					
Applications	ications Western Blot				
Recommended Dilutions	Western Blot				

www.novusbio.com



Each vial of cell lysate contains 100ug of total protein which sh for 20-50 reactions. Depending on over-expression level, antib	rn Blot. antibody to DDK construct.
detection system, some lysates can go as low as 0.1 ug per lo recommend starting with 5ug of cell lysate. Add an equal amor and 2X SDS Sample buffer and boil the SDS samples for 10 m loading.	oody affinity and ad. We unt of cell lysate
Images	

Western Blot: KLHL23 Overexpression Lysate (Adult Normal) [NBP2-05530] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for KLHL23.

170	-		
130	—		
100	_		
70	_	-	
55	_		
40			
35	—		
25	—		
15	_		
10	_		





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-05530

H00151230-P01-10ug	Recombinant Human KLHL23 GST (N-Term) Protein
NB120-16518	CD133 Antibody - BSA Free
NBP1-57512	KLHL23 Antibody
AF2746	NeuroD1 Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-05530

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

